

Index

- Abortions
 - smoking effects on, 13
- Abortions, spontaneous
 - comparison of stillbirth and neonatal death with, in smoking and nonsmoking mothers, 390, 405-406
- Acidosis
 - metabolic, smoking mother effects on infant, 407
- Adenocarcinoma
 - prevalence in male and female smokers and nonsmokers, 250
 - relationship of cigarette smoking to, 246-249, 296
- Adenoma
 - papillary, induction in rats by exposure to cigarette tars, 348
 - pulmonary, induction in mice by cigarette smoke inhalation, 349
 - renal, relationship of smoking to, 296
- Adrenal gland
 - catecholamine release from, nicotine effects on, 36
- Advisory Committee on Smoking and Health
 - establishment and conclusions of study by, 3
 - report on cigarette smoke and condensates effects on oral cavity of animals, 288
- Age
 - atypical nuclei in esophageal epithelium arranged by smoking and, 379-380
 - current cigarette smokers by sex and, 6
 - effects on CHD, 27, 39
- AHA
 - see American Heart Association
- Air pollution
 - as cause of COPD, 152, 216-217
 - effect on COPD development, 175
 - relationship of lung neoplasms, smoking and place of residence, 252-255
 - role in etiology of lung cancer, 11, 276
- Alcohol
 - effect of consumption on esophageal neoplasms in smokers, 289, 293
 - effect of consumption on laryngeal neoplasms among tobacco users, 280
 - effect of consumption on tobacco amblyopia 435-436
 - effect of heavy consumption and heavy smoking on oral neoplasms, 288
 - ethanol, penetrability of dissolved benzo(a)pyrene in mice esophageal epithelium, 293
 - relationship of smoking and, in human tuberculosis, 172
- Alcoholism
 - patients with, smoking and ventilatory function in, 213
- Amblyopia
 - characterization of, 435
 - development from cyanide component of tobacco smoke, 14
 - incidence of, 435
- American Heart Association
 - pooling project on CHD, 23, 28, 30, 39
- Aminoazo dyes
 - activity in placenta of smoking mothers, 410
- Angina pectoris
 - cause of, 21
 - incidence with cigarette smoking, 24, 37
 - in Danish twins, smokers vs. nonsmokers, 51
 - in twins, constitutional factors, 50-51
 - prospective studies of, CHD morbidity relation to smoking 37, 39
- Animals
 - see also specific animals e.g., cats, dogs, rabbits, etc.
 - atherosclerotic lesion development in, smoking enhancement, 36
 - carcinoma induction in, from arsenic, 257
 - cigarette smoke effect on pulmonary physiology and structure in, 162
 - development of lesions from cigarette smoke inhalation, 11
 - effects of nicotine on cardiovascular system of, 57, 107-112
 - esophageal neoplasms in, induction by nitrosamines, 292
 - respiratory tract of, neoplastic changes following cigarette smoke inhalation, 238-239
 - skin of, carcinogenicity of tobacco tars, 238, 267
 - tests of, with smoke carcinogens, 12
 - ventilatory function change from smoking, 10
- Anti-trypsin, alpha₁
 - COPD predisposition from genetic absence of, 150
 - determination using immunoelectrophoresis, 151
 - relationship in pulmonary emphysema, 10-11
- Anthranilic acid, 3-hydroxy-
 - urinary excretion of, smoking effects on, 296
- Aorta
 - aneurysms of, cigarette smoking effect on, 9, 67, 71, 75
 - atherosclerosis in, long term smoking effects, 52-56
- Areca nut
 - see Betel nut
- Aromatic compounds
 - carcinogenic properties in cigarette

- smoke from, 264, 265
- detection in urine using chemiluminescence technique, 297
- stimulation of placental BP-hydroxylase activity in pregnant rats by, 414
- Arrhythmia**
 - formation in nicotine stimulated damaged myocardium, 58
- Arsenic**
 - lung neoplasm mortality in smelter workers exposed to, 257
 - respiratory tract carcinoma in workers exposed to, 256, 257
- Arteries**
 - aneurysm in aortic, cigarette smoking effects on, 9, 67, 71, 75
 - atherosclerotic, increased by cigarette smoking, 8, 63
 - flow of carotid, cigarette smoking effects on, 67
 - hypoxemia, development from cigarette smoking, 9
 - occlusions of, cigarette smoking effects on, 73
 - walls of, mechanism of lipoprotein infiltration, 63
 - walls of nicotine-induced necrosis, 63
- Arteriosclerosis**
 - see also* Thromboangiitis obliterans
 - in aorta and coronary arteries, cigarette smoking effects on, 45, 52-56
 - cigarette smoking effects on, 8
 - development by increased carboxyhemoglobin formation, 9
 - development of, carbon monoxide effects on, 63
 - development of, effects of nicotine on, 38
 - lesion development in, smoking enhancement, 36
 - peripheral, cigarette smoking effects on, 72-73
- Arteriosclerotic heart disease (ASHD)**
 - see* Coronary disease
- Asbestos workers**
 - see* Occupations
- ASHD**
 - see* Coronary disease
- Asia**
 - see also* specific countries of Asia
 - Central and Southeast, relationship of tobacco use and neoplasms of oral cavity, 366
- Asthma**
 - bronchial, cigarette smoking effects on, 10, 175
- Atherosclerosis**
 - see* Arteriosclerosis
- Atropine**
 - effects on bronchoconstriction in dogs, 163
- Australia**
 - COPD morbidity in smokers in, 203
 - laryngeal neoplasms in, relationship to tobacco use, 357
 - lung neoplasm in, retrospective studies of, 327
 - peptic ulcer in, methods for retrospective and cross-section studies of smoking and, 426, 428
- Bacteria**
 - effect of cigarette smoke on action of macrophages on, 165
 - pneumonia, mice resistance following cigarette inhalation, 173
- Bank employees**
 - see* Occupations
- Benz(e)acephenanthrylene**
 - carcinogenic properties in cigarette smoke from, 264, 265
- Benz(a)anthracene**
 - alcoholic solution of, penetrability of mice esophageal epithelium, 292
- Benz(a)anthracene, 7,12-dimethyl**
 - carcinoma induction in hamsters following instillation of, 346
 - skin painting with, papilloma and carcinoma induction in mice by, 341
- Benzo(b)fluoranthene**
 - see* Benz(e)acephenanthrylene
- Benzo(j)fluoranthene**
 - carcinogenic properties in cigarette smoke from, 265
- Benzo(c)phenanthrene**
 - carcinogenic properties in cigarette smoke from, 265
- Benzo(ks)pentaphene**
 - carcinogenic properties in cigarette smoke from, 265
- 3,4-Benzopyrene**
 - see* Benzo(a)pyrene
- Benzo(a)pyrene**
 - ability of smoking mothers to hydroxylate, 407
 - alcoholic solution of, penetration of mice esophageal epithelium, 292
 - carcinogenicity of, in relation to asbestos in hamsters, 257
 - carcinogenic properties in cigarette smoke from, 264, 265
 - detoxification by lung aryl hydroxylase, 257
 - effects of instillation or implantation in animal tracheobronchial tree, 346-347
 - effects on animal tissue and organ cultures in, 343-345
 - effects with influenza virus on cigarette inhalation by mice, 352
 - sarcoma induction in rats following instillation of, 346
 - skin painting with, papilloma induction in mice by, 337-338
- Benzo(a)pyrene, 1-methyl-**
 - carcinogenic properties in cigarette smoke from, 265
- Betel nut**
 - chewers of, relationship with oral cavity neoplasms, 366, 369-370
- Birth weight**
 - see* Neonate
- Blacks**
 - maternal smoking and infant weight, 397
 - maternal smoking and prematurity, 400-401
- Bladder neoplasms**
 - frequency in smokers vs. nonsmokers, 238, 293-295
 - methods of retrospective studies of smoking and, 293, 381-384
 - presence of tryptophan metabolites in

- urine of patients with, 296-297
- relationship of cigarette smoking to, 299
- urinary, cigarette smoking relationship, 13
- U.S. mortality in 1967, 294
- Blood**
 - see also specific components of blood, e.g., cholesterol, lipids, platelets
 - carboxyhemoglobin formation in, from smoking, 60, 75
 - clotting, cigarette smoking effects on, 9, 36
- Blood circulation, coronary**
 - alteration following cigarette smoke inhalation, 58
 - effect of variations in hemoglobin and hematocrit, 66
- Blood pressure**
 - diastolic, cigarette smoking effects, 8, 23
 - diastolic, in smokers with CHD, 21-22, 24, 42
 - high, risk factor in arteriosclerosis obliterans, 72
 - high, risk in mortality from CVD, 67
 - hypertensive vs. non-hypertensive, mortality rates of CHD in, 42
 - nicotine effects on, 36
 - relationship of smoking and CHD, 43, 47
 - smokers vs. nonsmokers, 41, 42, 103-104
 - systolic, mortality from elevated, with CHD, 42
- BP-hydroxylase**
 - see under Enzymes
- Bradycardia**
 - development in dogs given nicotine, 57
- British Perinatal Mortality Survey**
 - results of, 390
- Bronchitis, chronic**
 - cigarette smoking cause and effect relationship, 3, 9
 - definition, 139
 - mortality in cigarette smokers, 175
 - mortality rates in 1967, 139
 - smokers vs. nonsmokers, 195-205
- Bronchogenic carcinoma**
 - see Carcinoma, bronchogenic
- Bronchopneumonia**
 - development in dogs following cigarette smoke inhalation, 271
- Bronchopulmonary disease, chronic obstructive**
 - see also Asthma, bronchitis, emphysema, respiratory diseases
 - air pollution relationship in, 152, 216-217
 - characterization of, 139
 - cigarette smoking effects on development, 4, 9-11, 175
 - effect of smoking cessation on development, 10
 - genetic factors in pathogenesis of, 148, 150-152, 205
 - increased prevalence of heterozygotes in, 151-152
 - mortality in pipe, cigar, and cigarette smokers, 175
 - mortality rates from, 139-145
 - smoking effects on ventilation-perfusion measurements in, 163
- Buerger's disease**
 - see Thromboangiitis obliterans
- Burma**
 - methods used in smoking study and human pregnancy, 393
- Butylamine, N-methyl-nitroso**
 - suspected carcinogenic properties in cigarette smoke from, 265
- Cadmium**
 - in cigarette smoke, relation to emphysema pathogenesis, 154
- Calves**
 - see Cattle
- Canada**
 - COPD morbidity of smokers in, 204
 - human experimental data on smoking and pregnancy, 409
 - infectious respiratory disease in, relationship to smoking, 228
 - kidney and bladder neoplasms in smokers in, 294
 - mortality rates from COPD, 139-141, 145
 - mortality ratios from COPD, 143
 - mortality ratios in smokers and nonsmokers from pancreatic neoplasms, 298
 - thrombosis in, smoking relationship, 132
 - veterans of, lung neoplasm mortality ratios in smokers and nonsmokers, 241
- Carbazole, 9-methyl-**
 - possible importance in tobacco carcinogenesis, 266
- Carbon-14**
 - labeled smoke particulate deposition in hamster respiratory tract, 281-282
- Carbonic anhydrase**
 - see Enzymes
- Carbon monoxide**
 - in cigarette smoke, formation of carboxyhemoglobin, 8-9
 - effects on cholesterol-fed rabbits, 65-66
 - effects on human physiology, 60-62
 - levels in cigarette smoke, 59
 - levels in fetal blood of smoking mothers, 407-410
- Carboxyhemoglobin**
 - effects of elevated, on fetal tissues, 407
 - formation in blood of smokers, 60, 75
 - formation from CO in cigarette smoke, 8-9
- Carcinogens**
 - action on oral cavity, effect of saliva, 288
 - listing of, in cigarette smoke, 265-266
 - in smoke, effect on oral cavity, 12
- Carcinoid**
 - prevalence in male and female smokers and nonsmokers, 250
- Carcinoma**
 - formation following animal skin painting with smoke condensates, 337-342
 - induction in rats exposed to cigarette tars, 348
 - undifferential, relationship to cigarette smoking, 248-249
- Carcinoma, alveolar**
 - induction in mice by cigarette smoke inhalation, 349

- Carcinoma, anaplastic
 - prevalence in male and female smokers and nonsmokers, 250
- Carcinoma, bronchogenic
 - development in dogs following cigarette smoke inhalation, 269, 272-273
 - mortality from, relationships to smoking, air pollution and residence, 253
 - mortality in smokers vs. nonsmokers asbestos workers, 257
- Carcinoma, epidermoid
 - mortality from, relationship to smoking, air pollution and residence, 254
 - prevalence in male and female smokers and nonsmokers, 250
 - relationship of cigarette smoking to, 246-249
- Carcinoma, epithelial
 - induction in mice by cigarette smoke inhalation, 350
- Carcinoma, oat cell
 - relationship of cigarette smoking to, 247
- Carcinoma, squamous cell
 - development in mice drinking alcoholic benzo(a)pyrene, 292
 - in oral cavity, relationship to tobacco use, 366-367
- Carcinoma, tracheobronchial
 - induction in hamsters by cigarette smoke instillation, 346-347
- Cardiovascular diseases
 - see also* Coronary disease
 - atherosclerotic, cigarette smoking relationship, 4
- Cardiovascular system
 - nicotine and cigarette smoke effects on, 56-58, 107-118
- Catecholamines
 - adrenal gland release, effect of nicotine on, 36
 - effect on blood flow in coronary arteries, 58
 - release by cigarette smoking, 8
 - release in animals by nicotine, 57, 119
- Cats
 - cardiovascular function in, smoking and nicotine effects on, 110, 111
 - ciliary function in, effect of cigarette smoke on, 222-224
 - lungs of, cigarette smoke effect on surfactant activity, 225
- Cattle
 - ciliary function in, effect of cigarette smoke on, 221
- CBF
 - see* Blood circulation coronary
- Central nervous system
 - effects of carbon monoxide in smoke on, 60
- Cerebrovascular disease
 - definition of, 66
 - mortality from, effects of cigarette smoking on, 9
 - mortality rates from, smokers vs. nonsmokers, 66-70
- Cessation of smoking
 - effect on COPD development in British physicians, 142
 - effect on COPD morbidity in smokers vs. nonsmokers, 146
 - effect on development of COPD, 140
- effect on mortality from COPD from, 175
- improvements in respiratory system, 148, 149
- relation to incidence and mortality from CHD, 32, 46-48, 106
- CHD
 - see* Coronary disease
- Chemiluminescence
 - see* Luminescence
- Chewing
 - see* Betel nut and tobacco
- Chickens
 - ciliary function in, effect of cigarette smoke on, 223
 - embryos of, effect of cigarette smoke on, 344
 - embryo of, nicotine effects on CNS, 411
- Chile
 - atherosclerosis autopsy studies in, 55
 - atherosclerosis in, no smoking effect found, 56
- Cholesterol
 - rabbits fed, carbon monoxide effects on, 65-66
 - serum, cigarette smoking relationship with, 8
 - serum, control in coronary disease, 21-22
 - serum, relationship of cigarette smoking to levels of, 41, 43
 - serum, relationship of elevated with cigarette smoking in peripheral vascular disease, 72
 - serum, in smokers vs. nonsmokers, 41, 98-102
 - serum, in smokers with CHD, 23-24, 43
 - synergistic relationship of carbon monoxide in coronary atheromatosis, 63
- Chromium
 - respiratory tract carcinoma in workers exposed to, 256
- Chromium compounds
 - lung neoplasm mortality from, 257-258
- Chronic obstructive pulmonary disease
 - see* Bronchopulmonary disease, chronic obstructive
- Chrysene
 - carcinogenic properties in cigarette smoke from, 265
- Chrysene, 1-methyl-
 - carcinogenic properties in cigarette smoke from, 265
- Cigarette filters
 - advantages in reduction of particulates, 269, 275
 - reduction of lung neoplasms from, 13
- Cigarette smoke
 - alteration of coronary blood flow, 58
 - bronchogenic carcinoma induction in dogs inhaling, 269, 270
 - cadmium levels in, 154
 - carbon monoxide levels in, 59
 - carcinogenicity of components to animals, 12, 277
 - cause of death in dogs from inhalation, 271
 - ciliary movement inhibition, 267
 - effect on tissue and organ cultures, 267, 343-345

- effect of nickel on induction of lung aryl hydroxylase, 256-257
- high tar, risks in, 11
- inhalation by dogs, lung neoplasm development, 268-269, 272-274
- inhalation effects on animal respiratory tract, 268-269, 349-353
- inhalation effects on hamster larynx, 281, 284
- listing of identified or suspected tumorigenic agents, 264-267
- 2-naphthylamine identified in, 265
- neoplastic changes in animals inhaling, 238-239
- tobacco amblyopia relationship to cyanide metabolism in, 435-436
- Cigarette smoke condensates
 - carcinogenic effect on animal oral cavities, 288
 - carcinogenic properties on animal skin, 337-342
 - effects of instillation or implantation in animal tracheobronchial tree, 346-348
 - effects on tissue and organ cultures, 343-344
 - painting skin of animals with, 337-342
- Cigarette smokers
 - arterial occlusions in, 73
 - atherosclerosis in aortic and coronary arteries, 52-56
 - atypical nuclei in male esophageal epithelium, 379-380
 - bladder neoplasms in, 293-295
 - cell rows and atypical cells in vocal cords of, 280, 359-360
 - cessation effects on COPD morbidity, 146, 197, 199, 203-204
 - cessation lowers lung neoplasm rate in, 11
 - changes in ventilatory function and pulmonary histology, 175
 - CHD in AHA pooling project, 28, 30, 39
 - CHD risk by, 23-25
 - comparative risk for lung neoplasms, 237
 - decline in British physicians, 48
 - development of altered ventilatory function in young, 10
 - development of esophageal neoplasms, 12, 293
 - development of laryngeal neoplasms, 12
 - development of oral neoplasms, 12
 - development of second primary oral neoplasms in continuing, 287
 - effect of filters on emphysema development, 162
 - effects of inhalation on bronchial reactivity, 164
 - effect on cardiovascular system, 56-58, 107-118
 - effects on uterine activity in gravidic women, 408
 - esophageal neoplasm mortality ratios in, 290-291
 - etiological cause of lung neoplasms, 239
 - histology and smoking relationship of lung neoplasms in 246-249
 - infant birth weight, 397-399
 - inhalation effects on human pulmonary function, 163, 166-169
 - kidney neoplasms in, 294-296
 - laryngeal neoplasm induction in, 354-357
 - lung neoplasm mortality in, 240, 243-244
 - mortality from cerebrovascular disease, 67-70
 - mortality rates affected by sex, 3
 - mortality ratios from COPD, 142-144
 - mortality ratios from pancreatic neoplasms in, 298
 - mortality ratios from peptic ulcers in, 424
 - peptic ulcer in, smoke effects on antacid therapy, 423
 - percentage of women of child-bearing age, 389
 - possible processes for increased mortality in, 4-5
 - postoperative pulmonary complications in, 174, 230
 - pulmonary surfactant activity in, 172, 225
 - relationship of asbestos in lung neoplasm mortality, 257
 - relationship in coronary and lower limb arteriosclerosis, 72
 - relationship of former to lung neoplasm development, 276
 - relationship to infectious respiratory disease, 172, 226-229
 - relationship to laryngeal neoplasm development in, 281
 - relationship to lip or oral cavity neoplasms, 361-370
 - relationship to lung neoplasms, 275
 - relationship with bladder neoplasms in men, 299
 - relationship with dust on COPD development, 153
 - with peptic ulcer, 427
 - risk in CHD, 8
 - risk of COPD in, 140
 - survey by age and sex, 6
 - survey of U.S., 6
- Cigarettes
 - development of esophageal neoplasms by, 12, 293
 - tar levels of, relationship to lung neoplasm development, 276
- Cigar smokers
 - atypical nuclei in male esophageal epithelium, 379
 - bladders neoplasms in, 293-294
 - cell rows and atypical cells in vocal cords of, 280, 359-360
 - COPD morbidity in, 146, 197-198, 201-202, 204-205
 - effects of smoke on bronchial reactivity, 164
 - esophageal neoplasm mortality ratios in, 290
 - kidney neoplasms in, 294-295
 - lack of risk in CVD, 67
 - laryngeal neoplasm induction in, 12, 354-357
 - lung neoplasm incidence in rural Switzerland, 244
 - lung neoplasm mortality in, 11, 240-243
 - mortality ratios from COPD in, 142-143, 145

- myocardial infarction in, 32, 38-39
- relationship to infectious respiratory disease, 227
- relationship of laryngeal neoplasms development in, 281
- relationship of neoplasms of oral cavity with, 12, 361-365, 367-371
- mortality ratios from pancreatic neoplasms in, 298
- mortality ratios from peptic ulcer in, 424
- risk of CHD, 8
- risk of COPD, 10
- risk of lung neoplasm development, 276
- Ciliary activity
 - see Respiratory system
- Circulation
 - see Blood circulation
- Cirrhoses
 - see Liver
- Civil servants
 - see Government employees under Occupations
- Coal miners
 - see Occupations
- Congressional legislation
 - see Laws
- Connecticut Cancer Registry
 - figures on age-adjusted larynx neoplasm incidence, 277
 - figures on incidence of oral neoplasms, 284
- Constitutional hypothesis
 - relationship to CHD and smoking, 48-49, 105-106
- COPD
 - see Bronchopulmonary disease, chronic obstructive
- Corn silk
 - smoking, lack of arterial epinephrine level increase, 57
- Coronary blood flow
 - see Blood circulation, coronary
- Coronary disease
 - see also Angina pectoris
 - age-adjusted rates in smokers, 23
 - arteriosclerotic, mortality rates in U.S., 21
 - atherosclerosis in, effects of smoking on, 4, 63
 - blood pressure of smokers vs. nonsmokers, 43, 47
 - carbon dioxide effects on oxygen uptake in, 62
 - cigarette smoking relationship, 5
 - death ratios of paired combinations of high risk, 25
 - first, mortality rates in smokers vs. nonsmokers, 24, 26-29
 - incidence and mortality rates in former smokers, 46, 47-48
 - infarction in NYC pipe and cigar smokers, 32, 38-39
 - infarction relationship to physical activity, smokers vs. nonsmokers, 44
 - in smokers with predisposing factors, 24
 - morbidity relationship of smoking to, 32-35, 37, 39, 93-97
 - mortality and morbidity retrospective studies, 40, 93-97
 - mortality from, relationship to electrocardiographic findings, 42
 - mortality in obese vs. non-obese, 45
 - mortality rates in, hypertensives vs. non-hypertensives, 42
 - mortality rates in, smokers vs. nonsmokers, 21-22
 - mortality rates in, with increased carbon monoxide, 62
 - mortality rates of paired combinations of high risk, 25
 - mortality rates of cigarette smokers from, AHA pooling project, 28, 30, 39
 - mortality rates of U.S. veterans, 26, 38
 - myocardial infarction in Danish twins, 51
 - nicotine effect on coronary blood flow in, 58
 - relation of triglycerides to, 65
 - relationship of blood pressure and smoking, 45, 47
 - relationship of heart rate and smoking, 45, 47
 - relationship of physical activity and smoking 41, 43, 44
 - relationship to constitutional makeup and smoking, 48-49, 105-106
 - relationship to ECG abnormalities and smoking, 45, 47
 - relationship to obesity and smoking, 43-45
 - risk factors, 23-24, 40-41
 - smokers age effects on development, 27, 39
 - smoking risk factor, 8
 - sudden mortality in, smoking effects on, 52
- Coronary heart disease
 - See Coronary disease
- Cows
 - see Cattle
- Cresol
 - suspected carcinogenic agent of cigarette smoke, 266
- Cuba
 - laryngeal neoplasms in, relationship to tobacco use, 356
 - relationship of tobacco use and neoplasms of oral cavity, 364
- CVD
 - see Cerebrovascular disease
- Cyanides
 - metabolism of, pathogenesis of tobacco amblyopia relationship to, 435-436
 - in tobacco amblyopia etiology, 14
- Czechoslovakia
 - laryngeal neoplasms in, relationship to tobacco use, 354, 357
 - serum lipid difference in smokers vs. nonsmokers in, 101
- Death rates
 - see Mortality rates
- Denmark
 - atherogenic effect of carbon monoxide and hypoxia, 64
 - bladder neoplasms in, methods and results in retrospective studies of smoking and, 381, 383
 - carbon monoxide effects on human blood lipids in, 129

- carbon monoxide effects on rabbit blood lipids in, 129
- serum lipid differences in smokers vs. nonsmokers in, 102
- twins in, angina pectoris in smokers vs. nonsmokers, 51
- Deoxyribonucleic acid
 - content increase in smokers oral epithelial cells, 288
 - levels in mice lung exposed to cigarette smoke, 161
- Diabetes
 - effect on CHD in smokers, 24
 - risk in mortality from CVD, 67
- Diabetes mellitus
 - relationship with cigarette smoking in peripheral vascular disease, 72
- Dibenz(*a,h*)acridine
 - carcinogenic properties in cigarette smoke from, 265
- Dibenz(*a,j*)acridine
 - carcinogenic properties in cigarette smoke from, 265
- 7H-Dibenzo(*c,g*)carbazole
 - carcinogenic properties in cigarette smoke from, 265
- Dibenzo(*a,i*)pyrene
 - see* Benzo(*rst*)pentaphene
- Diethylnitrosamine
 - suspected carcinogenic properties in cigarette smoke from, 265
- 7,12-Dimethyl-benz(*a*)anthracene
 - see* Benz(*a*)anthracene, 7,12-dimethyl-
- Dimethylnitrosamine
 - suspected carcinogenic properties in cigarette smoke from, 265
- 2,3-Diphosphoglycerate
 - effects of carbon monoxide on, 60-61
- DNA
 - see* Deoxyribonucleic acid
- Dogs
 - atherogenic effects of nicotine in, 120
 - bladder neoplasms in, fed 2-naphthylamine, 296
 - bradycardia and tachycardia in, following nicotine injection, 57-58
 - bronchogenic carcinoma induction in, from cigarette smoke inhalation, 269, 270
 - cigarette smoke instillation or implantation effects on tracheobronchial tree of, 268, 347
 - death in, causes from cigarette smoke inhalation, 271
 - effect of cigarette smoke on pulmonary clearance in, 164, 170
 - fetal bronchial tubes of, effect of cigarette smoke on, 345
 - lungs of, cigarette smoke effects on surfactant activity, 172, 225
 - lung neoplasms following cigarette smoke inhalation, 239, 277
 - lung neoplasms in, types and lobes where found, 269, 272-273
 - myocardium of, nicotine effects on, 58
 - neoplasm development in smoking, percentages of, 274
 - pulmonary histological changes in cigarette smoke inhaling, 158, 159-160
 - respiratory tract of, cigarette smoke inhalation effects on, 268, 352, 353
 - smoke induced bronchoconstriction in, atropine effects, 163
 - smoking and nicotine effects on blood lipids in, 127-128
 - smoking and nicotine effects on cardiovascular function in, 107-112
 - smoking and nicotine effects on catecholamine levels in, 119
- Donkeys
 - effect of cigarette smoke on pulmonary clearance in, 164, 171
- Ducks
 - cigarette smoke instillation or implantation effects on tracheobronchial tree of, 346
- Duodenal ulcer
 - see* Peptic ulcer
- Dusts
 - COPD development from, 153, 218
- Egypt
 - relation of human pulmonary histology and smoking, 163
- Electrocardiograph
 - findings on, CHD mortality relationship to, 42
 - reading abnormalities, relationship to smoking and CHD, 45, 47
- Electrophoresis
 - use in determining serum level of alpha₁-antitrypsin, 151
- Emphysema
 - alpha₁-antitrypsin absence type genetic factors, 150
 - cigarette smoking effects on, 9
 - development in dogs following cigarette smoke inhalation, 271
 - development of, relation of cadmium in smoke to, 154
 - grade II or III, smokers vs. nonsmokers, 162
 - mechanism in alpha₁-antitrypsin absence type of, 151
 - mortality from, effect of cigarette smoking on, 175
 - mortality rates from, in 1967, 139
 - pulmonary, definition, 139
- Employment
 - see* Occupations
- England
 - see* United Kingdom
- Enzymes
 - see also* Papain
 - activity of, effect of smoking, 165
 - aryl hydrocarbon hydroxylase activity in placentas at childbirth, 410
 - aryl hydroxylase, effect of nickel in cigarette smoke on induction of, 257
 - benzo(*a*)pyrene hydroxylase, activity in placentas of smoking mothers, 410
 - carbonic anhydrase, carbon monoxide inhibition in fetal cord blood of smoking mothers, 407
 - carbonic anhydrase, decrease in activity in fetal cord blood in smoking mothers, 409
- Epidermoid carcinoma
 - see* Carcinoma, epidermoid

- Epinephrine
 - levels in arteries, cigarette smoking effects on, 57
 - Epitheliomas
 - lip, relationship of tobacco use with, 361
 - Epoxides
 - suspected carcinogenic agents in cigarette smoke, 265
 - Esophageal neoplasms
 - frequency in smokers vs. nonsmokers, 12, 238
 - induction in animals by nitrosamine, 292
 - methods and results of retrospective studies of tobacco use, 289, 375-378
 - mortality rates in U.S. for 1967, 289
 - relationship to smoking, 293
 - Esophagus
 - basal cells of epithelium of, atypical nuclei in male smokers 292, 379-380
 - Ethanol
 - see* Alcohol
 - Ex-smokers
 - see* Smokers (former)
 - Factory workers
 - see* plant workers under Occupations
 - Fatty acids
 - blood, effect of smoking on levels of, 65
 - levels in smokers vs. nonsmokers, 102
 - rise in blood serum after smoking, 36
 - suspected carcinogenic agents of cigarette smoke, 266
 - Fetus
 - heart beats in, increase in smoking mothers, 408
 - tissues of, effects of elevated carboxy-hemoglobin on, 407
 - Fibrosis
 - in lung, smokers vs. nonsmokers, 161
 - Fibrillation
 - ventricular, death from, 36
 - Filters
 - see* Cigarette filters
 - Finland
 - blood pressure differences in smokers vs. nonsmokers in, 103
 - COPD morbidity in smokers of, 200
 - lung neoplasms in, retrospective smoking study of methods in, 325, 327
 - lung neoplasm mortality in, relationship to tobacco use, 245-246
 - peptic ulcer in, methods and results for retrospective and cross section studies of smoking and, 426, 428
 - serum lipid differences in smokers vs. nonsmokers of, 98, 99
 - smoking and nicotine effects on human blood lipids in, 124
 - Fluoranthene
 - alcoholic solution of, penetrability of esophageal epithelium, 292
 - Flax mill workers
 - see* Occupations
 - Former smokers
 - see* Smokers (former)
 - Formosa
 - acute effect of cigarette smoke on human pulmonary function in, 169
 - France
 - bladder neoplasms in, methods and results in retrospective studies of smoking and, 381-383
 - CHD mortality and morbidity in, 94, 97
 - COPD mortality of smokers in, 201
 - cigarette smoke effects on animal lung tissue in, 343
 - cigarette smoke effects on chicken embryos in, 344
 - cigarette smoke inhalation effects on rat respiratory tract, 349
 - esophageal neoplasms in, retrospective studies of tobacco use with, 378
 - laryngeal neoplasms in, relationship to tobacco use, 355, 357
 - lung neoplasms in, retrospective smoking study of methods in, 326
 - relationship of tobacco use and neoplasms of oral cavity, 363
- Framingham Heart Study
 - morbidity ratios in CHD, 24
- Fungicides
 - concentration in cigarette smoke, 265, 266
- Gastric ulcer
 - see* Peptic ulcer
- Genetics
 - factors of, cigarette smoking relationship, 5
 - factors of, in COPD pathogenesis, 148, 150-152, 205
 - twin-studies, effects of smoking, 49-52, 99
- Germany
 - CHD morbidity and mortality in, 95-96, 97
 - cigarette smoke inhalation effects on animal respiratory tract in, 350
 - laryngeal neoplasms in, relationship to tobacco use, 355
 - lung neoplasms in, retrospective smoking study of methods in, 323, 325, 326
 - polonium-210 levels in lungs of smokers in, 336
 - smoking and nicotine effects on human blood lipids, 125
- Glossary
 - of terms used in smoking and ventilatory function, 215
- Glucose
 - metabolism and insulin response, alteration effects on myocardial response, 66
- Glycogen
 - levels in mice lung exposed to cigarette smoke, 161
- Government employees
 - see* Occupations
- Graphite
 - respiratory tract carcinoma in workers exposed to, 256
- Great Britain
 - see* United Kingdom
- Guanethidine
 - blockage of nicotine cardiac stimulation by, 57
- Guinea pigs
 - lung neoplasm development following chronic nickel carbonyl or dust inhalation, 256

- lungs of, cigarette smoke effects on surfactant activity, 225
- respiratory changes in, exposed to cigarette smoke, 162
- Hamsters
 - benzo(a)pyrene inhalation by, effect of asbestos dust on carcinoma induction, 257
 - bladder neoplasms in, fed 2-naphthylamine, 296
 - cigarette smoke instillation or implantation effects on tracheobronchial tree of, 268, 346-348
 - laryngeal malignancies in, following smoke inhalation, 12
 - laryngeal neoplasms following cigarette smoke inhalation, 239
 - larynx of, effect of cigarette smoke inhalation on, 281, 284
 - lung and embryos, effects of cigarette smoke tars on, 343-344
 - pulmonary changes from chronic nitrogen dioxide inhalation, 220
 - respiratory tract of, C-14 labeled particulates deposition in, 281-282
 - respiratory tract of, cigarette smoke inhalation effects on, 268, 351
- Health Insurance Plan (NYC)
 - myocardial infarction in pipe and cigar smokers under, 32, 38-39
- Heart
 - see also* Arrhythmia, bradycardia, myocardium and tachycardia
 - cardiac rhythm of, effect of nicotine on, 36
 - fetal, increased rate by maternal smoking, 408
 - myocardium of, nicotine effects on oxygen demand, 38
 - myocardium of, cigarette smoking effect on, 5, 8
 - rate, relationship to smoking and CHD, 45, 47
- Heart disease
 - see* Cardiovascular diseases and coronary disease
- Heights
 - decreased, in children of smoking mothers, 407
- Hematite dust
 - respiratory tract neoplasms in hamsters exposed to, 348
- Hematocrit
 - infant, smoking mother effects on, 407, 409
 - variations in, effect on coronary blood flow, 66
- Hemoglobin
 - see also* Carboxyhemoglobin
 - affinity for oxygen, CO effects on 2,3-diphosphoglycerate control of, 60-61
 - variations in, effect on coronary blood flow, 66
- Hens
 - see* Chickens
- Heterocyclic compounds
 - carcinogenic properties in cigarette smoke, 264, 265
- Hexamethonium
 - blockage of nicotine cardiac stimulation by, 57
- HIP of NYC
 - see* Health Insurance Plan (NYC)
- Hookahs
 - smokers of, laryngeal neoplasm induction in, 355
- Hungary
 - retrospective smoking study of methods for lung neoplasms in, 328
- Hydrocarbons
 - see* Aromatic compounds heterocyclic compounds
- Hydrogen cyanide
 - in cigarette smoke, effects on body oxidative metabolism, 62
- 3-Hydroxyanthranilic acid
 - see* Anthranilic acid, 3-hydroxy-
- 3-Hydroxykynurenine
 - excretion of, smoking effects on, 296
- Hydroxyproline
 - level in mice lung exposed to cigarette smoke, 161
- Hypertension
 - see* Blood pressure
- Hypoxemia
 - arterial, carbon dioxide effects on, 61, 75
- Hypoxia
 - aortic atheromatosis development in rabbits exposed to, 64
 - postoperative, development in smokers, 174, 230
 - postural, mechanism in asymptomatic smokers vs. nonsmokers, 147
- Iceland
 - lung neoplasms in, relationship to tobacco smoking, 244
- Indeno(1,2,3-cd)pyrene
 - carcinogenic properties in cigarette smoke from, 265
- India
 - esophageal neoplasms in, retrospective studies of tobacco use with, 378
 - laryngeal neoplasms in, relationship to tobacco use, 355, 356
 - relationship of smoking to tuberculosis in, 227
 - relationship of tobacco use and neoplasms of oral cavity in, 362, 366
 - smoking and nicotine effects on human cardiovascular system, 117
 - smoking relationship to thrombosis in, 131
- Indole, 1-methyl-
 - possible initiator in tobacco carcinogenesis, 265
- Industrial workers
 - see* plant workers under Occupations
- Industrial hazards
 - effect of dust on COPD development, 175
 - effects on COPD development in smokers, 153-154, 218-219
- Infant
 - see also* Neonate
 - sudden death in, relation of smoking and nonsmoking mothers, 407
- Influenza virus
 - effect on dogs inhaling cigarette smoke, 351

- resistance of mice following cigarette smoke inhalation, 173
- Inhalation studies
 - see under* Cigarette smoke
- Ireland
 - acute effect of cigarette smoke on human pulmonary function, 168
 - CHD mortality and morbidity in smokers and nonsmokers in, 94
 - CHD mortality and morbidity in, 96
 - lung neoplasms in, retrospective smoking study of methods in, 328
 - maternal smoking and infant weight, 399
 - methods used in smoking study and human pregnancy, 394, 396
 - northern, mortality rates from COPD, 144
 - occupational exposure and smoking relationships to COPD in, 218
 - relationship of lung neoplasms to smoking, air pollution and residence in, 254
 - serum lipid differences in smokers vs. nonsmokers in, 99
 - smoking and nicotine effects on human peripheral vascular system, 133
 - smoking relationship to thrombosis in, 130
- Israel
 - cigarette smoke effects on animal embryos in, 343
 - mortality rates from COPD in, increase, 140
- Italy
 - human experimental data on smoking and pregnancy, 409
 - serum lipid differences in smokers vs. nonsmokers in, 100
 - tracheobronchial tree changes in smokers and nonsmokers in, 263
- Japan
 - bladder neoplasms in, methods and results in retrospective studies of smoking and, 382, 384
 - CHD mortality and morbidity in, 96
 - cigarette smoke effects on human fetal lung tissue in, 343
 - esophageal neoplasms in retrospective studies of tobacco use in, 378
 - kidney and bladder neoplasms of smokers in, 295
 - lung neoplasms in, retrospective smoking study of methods in, 326, 328
 - lung neoplasm mortality of smokers and nonsmokers in, 243
 - mortality ratios from esophageal neoplasms in, 291
 - mortality ratios from pancreatic neoplasms in cigarette smokers in, 298
 - relationships of lung neoplasms to smoking, air pollution, and residence in, 255
- Kidney neoplasms
 - mortality rates in U.S. for 1967, 296
 - relationship of tobacco use, 13, 299
 - in smokers and nonsmokers, 238, 294-295
- Korea
 - relation of human pulmonary histology and smoking in, 255
- tracheobronchial tree changes in smokers and nonsmokers of, 259
- Lactones
 - suspected carcinogenic agents in cigarette smoke, 265
- Laparotomy
 - postoperative pulmonary complications following, in smokers vs. nonsmokers, 174
- Laryngeal neoplasms
 - development in hamsters following cigarette smoke inhalation, 239
 - development in smokers, 12, 281
 - mortality in smokers vs. nonsmokers, 237-238
 - mortality ratios from, 277-279
 - relationship to tobacco use and development of, 354-357
 - relative risk ratios from tobacco use, 277, 358
 - U.S. mortality in 1967, 277
- Larynx
 - epithelial changes in, classification of, 281, 283
 - hamster, C-14 labeled particulate deposition in, 281-282
- Laws
 - PL 89-92, requirements for smoking hazards literature review, 7
 - PL 91-222, requirements for smoking hazards review, 7
- Lip neoplasms
 - relationship of tobacco use, 361, 362, 365, 367
 - relationship to pipe smoking, 289
- Lipids
 - blood effect of smoking on levels of, 65-66, 123-128
 - serum, differences in smokers vs. nonsmokers, 41, 98-102
- Lipoproteins
 - infiltration in arterial walls, carbon monoxide effects on, 63
 - in smokers vs. nonsmokers, 99-102
- Liver
 - cirrhosis of, rates among cigarette smokers, 5
- Longshoremen
 - see* Occupations
- Luminescence
 - techniques of, use in determining aromatic hydrocarbon in urine, 297
- Lung diseases
 - see* Bronchopulmonary diseases, adenocarcinoma, carcinoma, tuberculosis
- Lungs
 - fibroses in, smokers vs. nonsmokers, 161
 - hamster, C-14 labeled particulates deposition in, 281-282
 - human, effects of cigarette smoke on tissue from, 343-345
- Lung neoplasms,
 - air pollution role in etiology of, 11
 - cause and effect relationship of smoking, 276
 - cigarette smoking risks, 11
 - development in dogs following cigarette smoke inhalation, 239
 - effect of sex on development, 11

- environmental and atmospheric factors of, 252-255
- groupings, 246-334
- group characteristics of tobacco use in smokers and nonsmokers, 240, 244, 329-333
- histology and smoking relationships, 246-249
- mortality expected in U.S. in 1970, 237, 239
- mortality from chromium compounds, 257-258
- mortality in cigarette smokers by duration, 240, 244
- mortality in smelter workers exposed to arsenic, 257
- mortality in smokers and nonsmokers, 240-243
- mortality, in smokers in Norway and Finland, 245-246
- occupational exposure effects on pathogenesis of, 12
- prevalence in males and females by tumor type, 246, 250
- reduction in number using filter-type cigarettes, 275
- relationship of asbestos and smoking to, 257
- relationship of female smoking, 246, 251
- relationship of smoking to, 237
- retrospective study methods for smoking relationships, 240, 323-328
- smoking cause and effect relationship, 3
- smoking habit study of patients with, 3
- types implicated in smoking, 237
- U.S. mortality rates for 1939 vs. 1967, 239
- Macrophages**
 - effect of cigarette smoke of action on staphylococcus, 165
- Mammals**
 - see also* specific mammals
 - cells of, effect of cigarette smoke tars on, 343
- Medical students**
 - see* Occupations
- Methylbenzo(a)pyrene**
 - see* Benzo(a)pyrene, 1-methyl-
- 9-Methyl carbazole**
 - see* Carbazole, 9-methyl-
- Methylchrysenes**
 - see* Chrysene, 1-methyl-
- Methyl-indole**
 - see* Indole, 1-methyl-
- Methyl-n-butyl nitrosamine**
 - see* Butylamine, n-methyl-nitroso-
- N-Methylnicotinamide**
 - see* Pyridinium compounds, 3-carbamoyl-1-methyl-
- Mice**
 - bladder neoplasms in, induction by tryptophan metabolites, 296
 - embryo, lethal effects of nicotine on, 411
 - esophageal epithelium of, alcoholic benzo(a)pyrene penetrability of, 292
 - esophageal epithelium of, oil desolved benzo(a)pyrene penetrability of, 292
 - lungs of, effects of cigarette smoke on, 343, 344
 - lung neoplasm incidence in, from chromium oxide dust exposure, 258
 - pulmonary carcinoma induction in, following asbestos dust inhalation, 257
 - pulmonary changes from chronic nitrogen oxide inhalation, 161, 220
 - pulmonary changes in cigarette smoke inhaling, 159
 - pulmonary clearance in, cigarette smoke effects on, 170
 - resistance to pneumonia bacteria following cigarette inhalation, 173
 - respiratory tract of, cigarette smoke inhalation effect on, 268-269, 349-353
 - skin painting of, smoke condensates effects on, 267, 337-342
- Miscarriages**
 - see* Abortion, spontaneous
- Mollusks**
 - ciliary function in, effect of cigarette smoke on, 223
- Monkeys**
 - atherogenic effects of carbon monoxide and hypoxia, 64
 - ciliary function in, effect of cigarette smoke on, 222
 - fetal bronchial tubes of, effects of cigarette smoke on, 345
 - Rhesus, development of bladder neoplasms from 2-naphthylamine, 296
 - squirrel, nitrogen oxide effects on resistance to pneumococcus, 173
- Morbidity ratio**
 - CHD in smokers with predisposing factors, 24
 - CHD in smokers vs. nonsmokers, 21-22, 24, 30-35
 - CHD, relation to smoking, 32-35, 37, 39
 - CHD, retrospective studies, 40, 93-97
 - in Danish twins, smoking effects on, 49-51
 - development of COPD in smokers vs. nonsmokers, 145, 195-205
- Mortality rates**
 - from bladder neoplasms in U.S. for 1967, 293
 - from bronchopulmonary disease, 141-145
 - cerebrovascular disease, smokers vs. nonsmokers, 66-67, 68-70
 - CHD, paired combinations of high risk characteristics in, 25
 - CHD, retrospective studies, 40, 93-97
 - CHD in smokers vs. nonsmokers, 24, 26-29
 - CHD in U.S., 21
 - in Danish twins, smoking effects on, 51
 - from esophageal neoplasms in U.S. in 1967, 289
 - from kidney neoplasms in U.S. for 1967, 296
 - from lung neoplasms for 1939 vs. 1967 in U.S., 239
 - from lung neoplasms expected in 1970, 237, 239
 - from lung neoplasms in smelter workers exposed to arsenic, 257
 - from oral neoplasms in 1967, 285

- from peptic ulcer in U.S. in 1967, 423
- in former smokers, relation to CHD, 46, 47-48
- in Swedish twins, smokers vs. nonsmokers, 51
- smokers vs. nonsmokers, 3
- U.S. male veterans from CHD, 26, 38
- Mortality ratios**
 - CHD with high risk characteristics, estimated, 25
 - from esophageal neoplasms, prospective and retrospective studies, 289-291
 - from laryngeal neoplasm, 277-279
 - from lung neoplasms in smokers in Norway and Finland, 246
 - from lung neoplasms, in males by cigarette smoking duration, 240, 244
 - from pancreatic neoplasms in smokers and nonsmokers, 298-299
 - from peptic ulcer in smokers and nonsmokers, 424
 - smokers vs. nonsmokers, from lung neoplasms, 240-243
- Mouth neoplasms**
 - frequency in smokers and nonsmokers, 238
 - smoking induced, 12
- Mucopolysaccharides**
 - function as surfactants in lung tissue, 172
- Mussels**
 - ciliary function in, effects of cigarette smoke on, 221, 222
- Myocardium**
 - effects of hydrogen cyanide in smoke on, 62
 - oxygen consumption in nicotine stimulated, 59
 - oxygen requirements for, nicotine effects, 58
- 2-Naphthylamine**
 - development of bladder carcinomas and papillomas in dogs, hamsters and monkeys given, 296
 - suspected bladder carcinogen in tobacco smoke, 265
- National Center for Health Statistics**
 - survey of U.S. smoking habits by, 5-6
 - survey on relationship of smoking and incidence of respiratory disease, 173
- National Clearinghouse for Smoking and Health**
 - responsibilities, 7
 - 1970 survey of smoking, 6
- National Cooperative Pooling Project**
 - mortality statistics from coronary disease, 21-22
- National Library of Medicine**
 - assistance in literature review on smoking, 7
- Natural gas**
 - respiratory tract carcinoma in workers exposed to, 256
- Negroes**
 - see* Blacks
- Neonate**
 - see also* Fetus, pregnancy, prematurity
 - birth weight, effect of maternal smoking on, 389, 397-399
- death, comparison of stillbirth and abortions in smoking and nonsmoking mothers, 395, 405-406
- death, differences of birth weight and, in smoking and nonsmoking mothers, 404
- death, smoking mothers effects on 415 rats, LD₅₀ nicotine determination, 412
- Neoplasms**
 - see also* specific neoplasms, adenocarcinoma, carcinoma, lung neoplasms, etc.
 - adenomatous, induction in mice by cigarette smoke inhalation, 350
 - bladder, in smokers and nonsmokers, 293-295, 381-384
 - bladder, methods of retrospective studies of smoking and, 293, 381-384
 - bladder, relationship of tobacco usage to, 299
 - bladder, relationship to cigarette smoking, 13, 299
 - bladder, U.S. mortality in 1967, 293
 - development in smoking dogs, percentages of, 274
 - esophageal, frequency in smokers and nonsmokers, 12, 238
 - esophageal, methods and results of retrospective studies of tobacco use in, 289, 375-378
 - esophageal, mortality ratios, 289-291
 - esophageal, mortality rates for U.S. in 1967, 289
 - esophageal, relationship to smoking, 293
 - kidney, mortality rates in U.S. for 1967, 296
 - kidney, relationship to tobacco use, 13, 299
 - kidney, in smokers and nonsmokers, 238, 294-295
 - laryngeal, 12, 237-239, 281
 - laryngeal, relationship of tobacco use and development of, 354-357
 - laryngeal, relative risk ratios from tobacco use, 277, 358
 - laryngeal, U.S. mortality in 1967, 277
 - lip, relationship to smoking, 289
 - lip, relationship to tobacco use, 361, 362, 365, 367
 - mammalian, cigarette smoke effect on, 343
 - oral cavity, relationship of tobacco use, 285, 361-367
 - oral cavity, relationship to smoking, 289
 - pancreas, relationship to smoking, 298-299
- Netherlands**
 - cigarette smoke inhalation effects on mice respiratory tract in, 349
 - lung neoplasms in, retrospective smoking study of methods for, 323
 - serum lipid difference, in smokers vs. nonsmokers of, 101
- New York City**
 - myocardial infarctions in cigar and pipe smokers in, 32, 38-39
- New Zealand**
 - human experimental data on smoking and pregnancy, 408-409
- Nickel compounds**
 - suspected carcinogenic agents in cigarette smoke, 265

Nickel workers
see Occupations

Nicotine
 atherogenic effects of 120-122
 effect on blood lipids, 123-128
 effect on blood pressure, 36
 effects on cardiac rhythm of heart, 36
 effects on cardiovascular system, 56-58, 107-118
 effects on catecholamine release from adrenals, 36, 119
 effects on heart rate, 36
 effects on myocardium oxygen demand, 38
 effects on myometrial strips in gravidic women, 408
 effects on peripheral vascular system, 72, 75, 133-134
 effects on pregnancy, 411-414
 induction of necrosis in arterial walls, 63
 neurogenic effects of, 57

Nitrogen dioxide
 pulmonary changes in rodents chronically inhaling, 161, 220

Nitrogen oxide
 effects on resistance of squirrel monkeys to pneumococcus, 173

4-Nitroquinoline 1-oxide
 alcoholic solution of, development of papillomas in mice drinking, 292

N-Nitrosamines
 carcinogenicity in cigarettes smoke, 264-266
 esophageal neoplasms induced in animals by, 292

Nitrosopiperidine
see Piperidine, nitroso-

Nitrosopyrrolidine
see Pyrrolidine, nitroso-

N-methylnicotinamide
 urinary excretion of, smoking effects on, 297

Nonsmokers
see also Smokers vs. nonsmokers
 carboxyhemoglobin effects on oxygen uptake, 61

Norway
 lung neoplasms in, for pipe smokers, 244
 lung neoplasm mortality in, relationship to tobacco use, 245-246
 tracheobronchial tree changes in smokers and nonsmokers of, 259

Oat cell carcinoma
see Carcinoma, oat cell

Obesity
 relationship to CHD mortality, 43
 relationship to smoking and CHD, 43-45
 relationship with smoking in peripheral arteriosclerosis, 72

Occupations
see also Industrial hazards
 asbestos workers, respiratory tract carcinoma, 256
 asbestos workers, lung neoplasm mortality in smoking, 257
 bank employees, smoking and COPD, 198
 coal miners, impaired pulmonary function in smoking, 163
 coal miners, respiratory tract carcinoma, 256
 coal miners, smoking and COPD, 153, 197, 218-219
 coal miners, smoking and ventilatory function, 207
 flax mill workers, smoking and COPD, 199
 government employees, blood pressure differences in smokers vs. nonsmokers, 99
 longshoremen, mortality from smoking-related cerebrovascular disease, 70
 longshoremen, mortality rates from CHD in, 28
 longshoremen, smoking and COPD, 200
 longshoremen, smoking and ventilatory function, 208
 medical students, serum lipid differences in smokers vs. nonsmokers, 98
 medical students, smoking and nicotine effects on blood lipid levels, 124
 medical students, smoking and thrombosis relationships, 130
 medical students, smoking and ventilatory function, 209-210
 nickel workers, lung neoplasms in, 256
 physicians, bladder and kidney neoplasms in smoking, 293, 294
 physicians, cessation of smoking effect on COPD, 142
 physicians, COPD mortality rates, 149
 physicians, decline in cigarette smoking rates, 48
 physicians, mortality from smoking-related cerebrovascular disease, 68
 physicians, mortality rates from CHD, 26
 physicians, mortality ratios from esophageal neoplasms, 290
 physicians, mortality ratios from peptic ulcer in smoking and nonsmoking, 424
 physicians, pulmonary function following cessation of smoking, 149
 physicians, smoking and ventilatory function, 209-210, 213
 plant workers, occupational exposure and smoking relationships to COPD, 153, 218, 219
 plant workers, smoking and COPD, 198
 plant workers, smoking and ventilatory function, 206-208
 post office workers, blood pressure differences in smokers vs. nonsmokers, 104
 post office workers, smokers and ventilatory function, 209
 post office workers, smoking and COPD, 200, 202
 prisoners, serum lipid differences in smokers vs. nonsmokers, 100
 prisoners, smoking and nicotine effects on peripheral vascular system, 133
 railroad employees, coronary heart disease, morbidity in smoking, 34
 railroad employees, mortality and morbidity from CHD, 97
 railroad employees, mortality rates from CHD, 28
 smelter workers, lung neoplasm mortal-

- ity from arsenic exposure, 257
- soldiers, smoking and COPD, 197
- steel workers, COPD development from dust exposure, 153
- students, carbon monoxide effects on blood lipids, 129
- students, infectious respiratory disease in smokers vs. nonsmokers, 228-229
- students, mortality from smoking-related cerebrovascular disease, 68
- students, mortality rates from CHD, 28
- students, smoking and COPD, 201
- students, smoking and nicotine effects on blood lipid level, 125
- students, smoking and thrombosis relationships, 130
- students, smoking and ventilatory function, 211
- telephone company employees smoking and COPD, 200
- textile workers, occupational exposure and smoking relationship to COPD, 218-219
- transportation employees, smoking and COPD, 198, 202
- transportation workers, air pollution relationship to COPD, 216
- transportation workers, smoking and ventilatory function, 207, 212
- utility company employees, CHD morbidity in smoking, 30
- uranium miners, lung neoplasms in smokers and nonsmokers, 256
- veterans, bladder and kidney neoplasms in smoking, 294-295
- veterans, COPD mortality rates, 143
- veterans, CHD morbidity in smoking, 32
- veterans, effects of smoking on twin, 50
- veterans, lung neoplasm mortality in smoker and nonsmoker, 241-243
- veterans, mortality rates from CHD, 26, 38
- veterans, mortality from smoking-related cerebrovascular disease, 69
- veterans, mortality ratios from esophageal neoplasms, 290
- veterans, mortality ratios from peptic ulcer in smokers vs. nonsmokers, 424
- Oleic acid
 - suspected carcinogenic agent in cigarette smoke, 266
- Olive oil
 - penetrability of benzo(a)pyrene in mice esophageal epithelium, 292
- Oral cavity neoplasms
 - estimated incidence in U.S. for 1970, 284
 - mortality from in 1967, 285
 - relationship of tobacco use, 285, 289, 361-367
- Organs
 - cultures of, cigarette smoke effects on cell growth and reproduction, 267, 343-345
- Oropharynx neoplasms
 - frequency in smokers and nonsmokers, 238
- Oxygen
 - see also* Hypoxemia
 - myocardial consumption of, following nicotine stimulation, 58, 75
 - transport in body, carbon monoxide effects, 60, 75
 - uptake in nonsmokers with specific carboxyhemoglobin levels, 61, 75
- Palate
 - hamster, C-14 labeled smoke particulates deposition in, 281-282
- Pancreatic neoplasms
 - relationship to smoking, 13, 238
 - relationship of smoking to mortality from, 298-299
- Papain
 - pulmonary effects on rats exposed to cigarette smoke with, 163
- Papillomas
 - development in mice drinking alcoholic benzopyrene, 292
 - formation following skin painting with smoke tars, 337-339, 341
 - induction in hamsters exposed to benzo(a)pyrene, 346-347
- Pentolinium
 - blockage of nicotine cardiac stimulation by, 57
- Peoples Gas Light and Coke Co.
 - study of CHD, serum cholesterol and smoking relationships, 43
- Peptic ulcer
 - antacid efficacy and healing of, effects of cigarette smoking on, 423
 - development in smokers, 13
 - mortality from, in U.S. in 1967, 423
 - mortality ratios from, in smokers and nonsmokers, 424
 - retrospective and cross section study methods for smoking relationship to, 425-427
- Peroxides
 - suspected carcinogenic agent in cigarette smoke, 265
- Personality characteristics
 - relationship to CHD and smoking, 48-49, 105-106
- Pesticides
 - content in cigarette smoke, 265, 266
- Phagocytosis
 - pulmonary alveolar, in smokers vs. nonsmokers, 165
- Pharyngeal neoplasms
 - frequency in smokers vs. nonsmokers, 238
 - relationship to tobacco use, 362-364, 366
- Phenol
 - suspected carcinogenic agent of cigarette smoke, 266
- Phospholipids
 - function as surfactants in lung tissue, 172
 - smokers vs. nonsmokers, 99-100, 102
- Physical activity
 - relationship to CHD and smoking, 41, 43, 44
 - relationship to myocardial infarction, smokers vs. nonsmokers, 44
- Physicians
 - see* Occupations
- Piperidine, nitroso-

- suspected carcinogenic properties in cigarette smoke from, 265
- Pipe smokers
 - atypical nuclei in male esophageal epithelium, 379
 - bladder neoplasms in, 293-294
 - cell rows and atypical cells in vocal cords of, 280, 359-360
 - COPD morbidity in, 146, 197-198, 201-205
 - development of chronic bronchopulmonary disease, 10
 - development of esophageal neoplasms, 13, 293
 - development of lung cancer, 11
 - development of oral neoplasms, 12
 - esophageal neoplasm mortality ratios, 290
 - kidney neoplasms in, 294-295
 - lack of risk in CVD, 67
 - laryngeal neoplasms induction, 12, 354-357
 - lung neoplasm incidence in Norway, 244
 - lung neoplasm incidence in rural Switzerland, 244
 - lung neoplasm mortality in, 324-327
 - mortality rates from COPD, 142-143, 145
 - mortality ratios from pancreatic neoplasms, 298
 - mortality ratios from peptic ulcer, 424
 - myocardial infarction in, 32, 38-39
 - peptic ulcer in, 427
 - relationship to infectious respiratory disease, 227
 - relationship to laryngeal neoplasm development, 281
 - relationship to lip neoplasms, 289
 - relationship to oral cavity neoplasms, 361-364, 367
 - risk of CHD, 8
 - risks on lung neoplasm development, 276
- Placenta
 - ability to hydroxylate benzo(a)pyrene in smoking mothers, 407
- Platelets
 - adhesiveness of increased, from cigarette smoking, 9
 - aggregation of, cigarette smoking effects on, 36
 - blood, effect of smoking, 66, 75
- Poland
 - bladder neoplasms in, methods and results in retrospective studies of smoking and, 382, 383
 - CHD mortality and morbidity in, 96
 - esophageal neoplasms in, retrospective studies of tobacco use with, 378
 - laryngeal neoplasms in, relationship to tobacco use, 357
 - relationship of tobacco use and neoplasms of oral cavity in, 364
 - serum lipid differences in smokers vs. nonsmokers in, 100, 102
 - smoking and nicotine effects on human blood levels in, 124
 - smoking relationships to thrombosis in, 131
- Pollution
 - see Air pollution
- Polonium-210
 - suspected carcinogenic agent in cigarette smoke, 265-267, 335-336
- Post office workers
 - see Occupations
- Postoperative pulmonary complications
 - see Respiratory system
- Potassium-40
 - present in tobacco leaf, 266
- Pregnancy
 - see also Abortion (spontaneous), placenta, stillbirth, neonate
 - human, methods used in smoking study of, 391-396
 - maternal smoking during, effect on fetal growth and weight, 389, 397-399
 - maternal smoking during, effects on fetal growth, 13, 415
 - nicotine effects on myometrial strips in, 408
 - unsuccessful, smoking effects on, 13
- Prematurity
 - maternal smoking and, 390, 400-403
- Prisoners
 - see Occupations
- Proteins
 - see Lipoproteins
- Protozoae
 - ciliary function in, effect of cigarette smoke on, 165, 224
- Public Health Service
 - review of medical literature on smoking hazards, 7
 - 1967 study of, starting point for new studies, 4
- Public laws
 - see Laws
- Puerto Rico
 - esophageal neoplasms in, retrospective studies of tobacco use with, 378
 - relationship of tobacco use and neoplasms of oral cavity in, 367
- Pulmonary system
 - see Respiratory system
- Pyrrolidine, nitroso-
 - suspected carcinogenic properties in cigarette smoke from, 265
- Rabbits
 - atherogenic effects of carbon monoxide and hypoxia, 64
 - atherogenic effects of nicotine, 120-122
 - blood lipids in, smoking and nicotine effects on 127
 - cardiovascular function in, smoking and nicotine effects, 108, 109
 - ciliary function in, cigarette smoke effect on, 221-222
 - cholesterol fed, carbon monoxide effects on, 65-66
 - offspring of, nicotine and smoke effects on birth weight, 407
 - offspring, smoking effects on stillbirth and mortality, 411
 - pregnant, tritium-labeled nicotine effects in, 413
 - pulmonary changes in cigarette smoking, 159
 - pulmonary clearance in, cigarette smoke effect on, 164, 170, 171

- skin painting, smoke condensate effects on, 267, 338
- Railroad employees
see Occupations
- Rats
 - atherogenic effects of nicotine in, 120, 121
 - blood lipids in, nicotine and smoke effects, 128
 - ciliary function in, cigarette smoke on, 221, 222
 - LD₅₀ nicotine determination in female, 412
 - lung neoplasms, from intrabronchial implanting of chromium compounds, 258
 - lung neoplasms, from nickel carbonyl and dust inhalation, 256
 - lung, cigarette smoke effects on surfactant activity, 172, 225
 - offspring, nicotine and smoke effects on birth weight, 407
 - pregnant, aromatic compound stimulation of placental BP-hydroxylase activity, 414
 - pregnant, fetal wastage and neonate death in nicotine and smoking, 411
 - pulmonary carcinoma induction following asbestos dust inhalation, 257
 - pulmonary changes from chronic nitrogen dioxide inhalation, 161, 220
 - respiratory tract of, cigarette smoke inhalation effects, 268, 349, 353
 - skin painting, smoke condensates effects, 267, 340
 - trachea of, cigarette smoke effects, 343
 - tracheal ligation of, cigarette smoke and papain effects on, 163
 - tracheobronchial tree of, cigarette smoke effects on, 268, 346-349
- Reading ability
in children of smoking mothers, 407
- Reserpine
 - nicotine cardiac stimulation blockage by, 57
- Respiratory system
see also Bronchopulmonary disease, larynx, lungs, trachea
 - acute effect of cigarette smoke on human pulmonary function, 163, 166-169
 - animal, cigarette smoke instillation or implantation effects on, 268, 346-348
 - animal, effect of cigarette smoke inhalation on, 268-269, 349-353
 - effect of cigarette and cigar smoke on bronchial reactivity, 164
 - effect of cigarette smoke on human ciliary function, 165, 221-224
 - effect of cigarette smoke on human pulmonary clearance, 164, 170
 - glossary of terms used in testing, 215
 - histological changes in smokers, 154-157
 - improvements in function following smoking cessation, 148, 149
 - pathological changes in cigarette smokers, 175
 - postoperative complication in, of smokers vs. nonsmokers, 174-176, 230
 - pulmonary alveolar phagocytosis in smokers vs. nonsmokers, 165
 - pulmonary infarction in dogs inhaling cigarette smoke, 271
 - surface tension of, effect of cigarette smoke on, 172, 225
 - surfactant activity of, in smokers vs. nonsmokers, 172, 225
 - surfactants in, definition, 172
 - tests of function of, in smokers, 146-147, 206-214
- Respiratory tract diseases
see also Asthma, bronchitis, bronchopulmonary disease, emphysema, pneumonia, tuberculosis
 - infectious, smoking effects on, 172, 226-229
 - infections, prevalency among smokers, 10, 176
 - pathological and cytological changes in, of smokers vs. nonsmokers, 258-263
 - ventilatory function in, smokers vs. nonsmokers, 175
- Rhodesia
 - retrospective smoking study of methods for lung neoplasms in, 328
- Rubidium-84
 - tracing capillary flow in coronary blood flow, 59
- Rural populations,
 - lung neoplasms in, suspected etiology of increased, 276
- Rural residences
 - lung neoplasm incidence in, in Switzerland, 244
 - relationships of lung neoplasm to smoking, air pollution, and, 252-255
- Russia
 - atherogenic effects of nicotine on rabbits in, 120
 - atherosclerosis autopsy studies in, 54
 - cigarette tar effects on rat tracheobronchial tree in, 348
- Saccharides
see Mucopolysaccharides
- Saliva
 - interference in action of carcinogens on oral cavity, 288
- Sarcoma
 - formation following animal skin painting with smoke condensates, 338, 340
 - induction in rats by cigarette smoke injection, 346-347
- Scotland
see United Kingdom
- Sex
 - ages of cigarette smokers by, 6
 - effect of, in alpha-antitrypsin deficiency emphysema, 151
 - effect of, on laryngeal neoplasm incidence development, 277
 - effect of, in mortality in cigarette smokers, 276
 - effect of, in lung neoplasms and tobacco use, 244, 329-333
 - lung cancer mortality by, 252
 - lung neoplasm development by, 11
 - mortality rates of cigarette smokers by, 3
 - ratios of, in lung neoplasm mortality in Norway and Finland, 245-246

Sheep
 pregnant, nicotine injection and smoke inhalation effects on, 414
Smelter workers
see Occupations
Smokers (former)
see also Cessation of smoking
 atypical nuclei in male esophageal epithelium in, 379-380
 CHD mortality probability in, 46
 incidence of CHD and mortality in, 46-48
 lung neoplasm mortality ratios in, 241-242
 lung neoplasms in, lowered rates, 11
 mortality rates from COPD, 175
 mortality rates from lung neoplasms, 276
Smokers vs. nonsmokers
see also Nonsmokers
 bladder neoplasms in, 293-295, 381-384
 cell rows and atypical cells in vocal cord of, 280, 359-360
 CHD mortality in, 21-22
 comparison of abortions, stillbirth and neonatal death in, 390, 405-406
 development of COPD in, 141, 145, 195-205
 differences in emphysema types in, 154, 156
 effect of cigarette smoke on post-operative pulmonary complications, 175
 effect of sex on mortality from CHD, 28-31
 esophageal epithelial cells with atypical nuclei in, 292
 esophageal neoplasm mortality ratios in, 290-291
 excretion of tryptophan metabolites in, 297
 frequency of esophageal neoplasms in, 238
 frequency of kidney neoplasms in, 238
 frequency of mouth and pharyngeal neoplasms in, 238
 frequency of urinary bladder neoplasms in, 238
 group characteristics in lung neoplasms and smoking in, 240, 244, 329-333
 laryngeal neoplasms in, relationship to tobacco use, 354-357
 lung fibrosis development in, 161
 lung neoplasm mortality ratios in, 240-243
 lung neoplasm mortality in uranium miners, 256
 morbidity ratios from CHD, 24
 mortality from cerebrovascular disease, 67-70
 mortality from CHD, 24, 26-29
 mortality from CHD in Swedish twins, 51
 mortality from laryngeal neoplasms in, 237-238
 mortality rates, 3
 mortality ratios of COPD in, 142-144
 mortality ratio from laryngeal neoplasms, 278-279
 mortality ratios from pancreatic neoplasms in, 298
 myocardial infarction relationships to physical activity, 44
 pathological and cytological changes in respiratory tract of, 258-263
 peptic ulcer in, correlated amounts of tobacco use, 427-428
 postoperative hypoxemia in, 174, 230
 postural hypoxemia mechanism in asymptomatic, 147
 postoperative pulmonary complications in, 174-175, 230
 pulmonary alveolar phagocytosis in, 165
 relation between CHD and serum cholesterol level, 43
 relationship to infectious respiratory disease, 172, 226-229
 serum lipids in, 41, 98-102
 surfactant activity in lungs of, 172, 225
 type of lung neoplasms in male and female, 250
Snuff
 dippers of, relationship to neoplasms of oral cavity, 287, 361, 364-365
Social adjustments
 in children of smoking mothers, 407
Socioeconomic relationships
 in COPD, 152-153, 216-217
Soldiers
see Occupations
South Africa
 esophageal neoplasms in, retrospective studies of tobacco use, 378
 occupational exposure and smoking relationship to COPD in, 219
 retrospective study of methods for lung neoplasms in, 328
 serum lipid differences in smokers vs. nonsmokers in, 99
Spontaneous abortions
see Abortions, spontaneous
Squamous cell carcinoma
see Carcinoma, epidermoid
Steel workers
see Occupations
Stearic acid
 suspected carcinogenic agent of cigarette smoke, 266
Stillbirths
 abortions and neonatal death and, in smoking and nonsmoking mothers, 390, 405-406
 effects of maternal smoking, 415
Students
see Occupations
Sugars
see Glucose, mucopolysaccharides
Surface tension
see Respiratory system
Surfactants
see Respiratory system
Sweden
 acute effects of cigarette smoke on human pulmonary function, 168
 blood pressure differences in smokers vs. nonsmokers in, 104
 CHD mortality and morbidity in, 97
 COPD morbidity in smokers in, 203, 205
 effect of cigarette smoke on animals ciliary function in, 221-224
 esophageal neoplasms in, retrospective

- studies of tobacco use with, 378
- genetic studies of twins in, smoking effects on, 50, 99
- laryngeal neoplasms in, relationship to tobacco use, 356
- relationship of tobacco use and lip neoplasms in, 361
- relationship of tobacco use and neoplasms of oral cavity, 364
- serum lipid differences in smokers vs. nonsmokers of, 99
- smoking and nicotine effects on human cardiovascular system, 115
- smoking and nicotine effects on human peripheral vascular system, 133
- tracheobronchial tree changes in smokers and nonsmokers in, 263
- Switzerland
 - CHD morbidity and mortality in, smokers vs. nonsmokers, 95
 - cigarette smoke effects on mice lung and kidney tissue in, 344
 - cigarette smoke inhalation effects on mice respiratory tract, 351
 - lung neoplasm incidence in cigar and pipe smokers of rural, 244
 - retrospective smoking study of methods for lung neoplasms in, 325
 - serum lipid differences in smokers vs. nonsmokers of, 100
- Tachycardia
 - development in dogs induced by nicotine, 57
- TAO
 - see* Thromboangiitis obliterans
- Tars, tobacco
 - carcinogenicity on animal skin, 238
 - carcinogenic properties from cigarette smoke, 11, 264, 265
 - content in cigarettes, relationship to lung neoplasm development, 275, 276
 - sarcoma induction in rats following instillation, 346
 - skin painting with, carcinoma induction from, 337-342
- Telephone company employees
 - see* Occupations
- Teratogenesis
 - maternal smoking implications in, 407
 - in mice embryos, nicotine effects on, 411
- Tetraethylammonium chloride
 - blockage of nicotine cardiac stimulation by, 57
- Textile workers
 - see* Occupations
- Thromboangiitis obliterans
 - definition, 73
 - remission of, cessation of smoking effects, 74
- Thrombosis
 - smoking effects on, 66, 130-132
- Tissues
 - cultures of, cigarette smoke effects on cell growth and reproduction, 267, 343-345
 - hypoxia of, carbon monoxide effects on, 61
- Tobacco
 - see also* all forms, e.g. Cigarettes, etc.
- 456
 - chewing of, relationship to lip and oral cavity neoplasms, 361-363, 365-366
 - leaves, presence of potassium-40 in, 266
- Tobacco amblyopia
 - see* Amblyopia
- Tobacco tars
 - see* Tars, tobacco
- Tongue
 - hamster, C-14 labeled particulate deposition in, 281-282
- Toxemia
 - preeclamptic, incidence in smoking and nonsmoking mothers, 404, 407
- Trachea
 - hamster, C-14 labeled particulate deposition in, 281-282
- Transportation employees
 - see* Occupations
- Triglycerides
 - CHD incidence relationship to, 65
 - smokers vs. nonsmokers, 99-100, 102
- Trypsin
 - see* Anti-trypsin, alpha₁
- Tryptophan metabolism
 - alterations by smoking, 297
 - alteration in urinary tract neoplasms by smoking, 13
 - carcinogenicity in mice bladders, 296
 - relation of excretion in smokers and nonsmokers, 297
- Tuberculosis
 - relationship of smokers vs. nonsmokers to, 172, 226-228
- Tumorigenic agents
 - see* Carcinogens
- Twins
 - angina pectoris development in, smoking effects on, 50-51
 - genetic studies of smoking effects on, 49-52
 - smoking effects on mortality and morbidity in, 51
- Ulcers
 - see* Peptic ulcers
- United Kingdom
 - bladder neoplasms in, methods in retrospective studies of smoking and, 382-384
 - blood pressure differences in smokers vs. nonsmokers in, 103, 104
 - British Perinatal Mortality Survey of, 390, 395, 404, 415
 - cigarette smoke effects on human fetal lung and mice trachea, 344
 - cigarette smoke effects on human pulmonary function, 168, 169
 - cigarette smoke effects on mice respiratory tract, 352
 - cigarette smoke implantation effects on rat tracheobronchial tree in, 346-347
 - comparison of abortions, stillbirths and neonatal deaths in smoking and nonsmoking mothers, 406
 - COPD morbidity in smokers in, 195-197, 203, 204
 - effect of cigarette smoke on animal ciliary function in, 221
 - human experimental data on smoking and pregnancy, 408
 - kidney and bladder neoplasms in

smokers in, 294
 lung cancer mortality in males in England and Wales, 240
 maternal smoking and infant weight in, 397, 399
 methods used in smoking study and human pregnancy, 391, 394-395
 mortality from cerebrovascular disease related to smoking in, 68
 mortality rates from COPD in, lack of increase, 140
 mortality ratios from esophageal neoplasms in, 290
 mortality ratios from laryngeal neoplasms in, 278
 mortality ratios from peptic ulcer in smokers and nonsmokers in, 424
 occupational exposure and smoking relationships to COPD in, 218-219
 peptic ulcer in, methods and results of retrospective and cross section studies of smoking and, 425-428
 physicians in, decline in cigarette smoking rates, 48
 physicians in, mortality from lung neoplasms in smokers and nonsmokers, 241
 pulmonary function in, cigarette smoke effects on, 168
 relationships of lung neoplasms to smoking, air pollution, and residence in, 253-254
 relationship of smoking tuberculosis in, 226
 retrospective smoking study of methods for lung neoplasms in, 324, 326
 serum lipid differences in smokers vs. nonsmokers in, 101, 102
 smoking and nicotine effects on animal cardiovascular function in, 107
 smoking and nicotine effects on human blood lipids in, 126
 smoking and nicotine effects on human cardiovascular system in, 115
 smoking relationships to thrombosis in, 131
 United States
 acute effect of cigarette smoke on human pulmonary function in, 166-167, 169
 atherosclerosis autopsy studies in, 53-55
 bladder neoplasms in, methods and results in retrospective studies of smoking and, 381-384
 blood pressure differences in smokers vs. nonsmokers in, 103-104
 CHD mortality and morbidity in smokers vs. nonsmokers in, 30-35, 37, 93-94
 comparison of abortions, stillbirth and neonatal death in smoking and non-smoking mothers, 405-406
 cigarette smoke effects on animal tissues in, 343-345
 cigarette smoke effects pulmonary surfactants and surface tension, 172, 225
 cigarette smoke implantation effects on animals tracheobronchial tree, 346-348
 cigarette smoke inhalation effects on animal respiratory tracts, 349-350, 352, 354
 COPD morbidity in smokers in, 195, 196, 198-200, 201-202, 205
 effects of cigarette smoke on animal ciliary function in, 221-224
 esophageal neoplasms in, retrospective studies of tobacco use, 378
 esophageal neoplasm mortality in, in 1967, 289
 human experimental data on smoking and pregnancy in, 408-410
 human pulmonary function following cessation of smoking in, 149
 kidney and bladder neoplasms in smokers in, 293-295
 laryngeal neoplasm incidence in 1967, 277
 laryngeal neoplasm in, relationships to tobacco use, 278-279, 354-355
 lung neoplasm mortality in smokers and nonsmokers in, 240-243
 maternal smoking and infant weight, 397-399
 methods used in smoking study and human pregnancy, 391-395
 mortality from aortic aneurysm related to smoking in, 71
 mortality from cerebrovascular disease related to smoking, 68-70
 mortality from lung neoplasms expected in 1970, 237, 239
 mortality rates for bladder neoplasms in 1967, 293
 mortality rates for COPD, increase of 139-140
 mortality rates for kidney neoplasms in 1967, 296
 mortality rates for lung neoplasms in 1939 vs. 1967, 239
 mortality ratios for COPD, 142-145
 mortality ratios for esophageal neoplasms in, 290-294
 mortality ratios for laryngeal neoplasms, 278-279
 mortality ratios for pancreatic neoplasms in smokers and nonsmokers in, 298
 mortality ratios for peptic ulcer in smokers and nonsmokers in, 424
 occupational exposure and smoking relationships to COPD in, 218-219
 oral neoplasm incidence in, estimated for 1970, 284
 peptic ulcer mortality in 1967 in, 423
 peptic ulcer in, methods and results for retrospective and cross section studies of smoking and, 425, 426-428
 polonium-210 levels in lungs of smokers in, 335-336
 populations of, COPD development in, 10
 relationship of human pulmonary histology and smoking in, 155-157
 relationship of tobacco use and lip neoplasms, 361-365, 367
 relationship of tobacco use and neoplasms of oral cavity, 361-365, 367
 relationship of lung neoplasm to smoking, air pollution, and residence in, 253-254

- relationship of smoking to infectious respiratory disease in, 227-229
- retrospective smoking study methods for lung neoplasms in, 323-328
- serum lipid differences in smokers vs. nonsmokers in, 98, 100, 101
- smoking relationship to thrombosis in, 130, 131
- smoking and nicotine effects on animal cardiovascular function in, 107-112
- smoking and nicotine effects on human blood lipids, 123-126
- smoking or nicotine effects on human catecholamine levels, 119
- smoking and nicotine effects on human cardiovascular system, 113-114, 116, 117-119
- smoking and nicotine effects on human peripheral vascular system, 133-134
- surveys of cigarette smoking in, 6
- tracheobronchial tree changes in smokers and nonsmokers in, 259-263
- Uranium miners
 - see* Occupations
- Urban environment
 - contribution to lung cancer mortality, 11
 - relationship of lung neoplasms, smoking, air pollution to, 252-255
- Urban populations
 - lung neoplasms in, suspected etiology of increased, 276
- Urinary bladder
 - see* Bladder
- Uterus
 - cigarette smoking effects on gravidic, 408
- Utility Company employees
 - see* Occupations
- Vascular system
 - see also* Blood circulation, cardiovascular system, cerebrovascular system, thromboangiitis obliterans
 - peripheral, smoking and nicotine effect on, 9, 72-73, 75, 133-134
- Venezuela
 - maternal smoking and infant weight in, 450
 - methods used in smoking study and human pregnancy, 445
- Ventricular fibrillation
 - death from, nicotine effects on, 36
- Ventilatory function tests
 - see* Respiratory system
- Veterans
 - see* Occupations
- Virus
 - influenza, cigarette smoke effects on resistance of mice with, 173
 - influenza, nitrogen oxide effects on squirrel monkey resistance to, 173
- Vitamin deficiency
 - relationship to tobacco amblyopia
- Xenon
 - radioactive, regional pulmonary function using, 147